

# Typesetting in InDesign

This document was downloaded from keithtam.net. Copyright © Keith Tam 2003–19. All rights reserved. No part of this document may be reproduced without the author's prior written permission. [keith@keithtam.net](mailto:keith@keithtam.net)

## Tabs & indents

Tabs and indents are very useful tools for controlling micro-spacing within a passage of text in a systematic way. Because we mostly use proportional-spaced fonts nowadays, it is impossible, not to mention messy, to use the space bar to line up your text. Always use tabs and indents.

### Tabs


Tabs are predefined alignment points within a line of text. When you hit the **tab** key, the cursor jumps to the next *closest* tab stop that you have set. You can define the tab stops to align your text on the left, the centre, the right and on decimal points (or any character you define). The tab stops are triggered by pressing the **tab** key. If you don't press the tab key the tab stop is ignored.

Go to **Type > Tabs** to bring up the tab ruler. Simply click on the ruler to add a tab. The tabs can be repositioned by dragging the arrow or inputting a new position value into the **x** input box. In the following examples, the » symbol indicates one pressing of the tab key.

Left, right, centred and decimal tabs




A 'tab leader' is a character that is used to fill the space between two tabs. Select the tab, then type in the character in the **Leader:** input box.




## Indents

Indents control the left and right margins of a block of text. It also indicates the position where the first line of a paragraph begins (a ‘first line indent’). The indent at the beginning of a paragraph should not be created by pressing the tab key.


Indents could be set in the paragraph palette (by inputting numeric values) as well as on the tab ruler (by dragging the triangles).




**First line indent** Only the first line of the paragraph is indented by 2 picas.



**Outdent** The paragraph is shifted to the right by 2 picas except the first line.




**Outdent with tab** A 7-pica outdent with a ‘side heading’ separated from the paragraph with a tab.





**Outdent with right tab**

A 7-pica outdent with a ‘side heading’ separated from the paragraph with a right tab.




Settings for bulleted and numbered lists



### Bullets and numbering

Bullet and number lists are created with tabs and indents. In InDesign, these can be semi-automated through the use of the **Bullets & Numbering...** settings.



- Alit ea faciduisl ulpute dio odolessi
- Se vel ullam, sed duis et num erit dolortionse exerostinim
- Iliquisim et dolor illam zzrilit at um ipit la faciliquat is esse molorero esto dolortie commy num veliquat
- Velit vulla feu faci tatum vulla acillan henismo illam zzrilit dolobor erostin

- 1 Alit ea faciduisl ulpute dio odolessi
- 2 Se vel ullam, sed duis et num erit dolortionse exerostinim
- 3 Iliquisim et dolor illam zzrilit at um ipit la faciliquat is esse molorero esto dolortie commy num veliquat
- 4 Velit vulla feu faci tatum vulla acillan henismo illam zzrilit dolobor erostin

## Paragraph settings

When you press the return key, you are telling the software to start a new paragraph. All the paragraph-level attributes that you apply – tabs, indents, spaces before and after paragraphs, paragraph rules, bullets & numbering, alignment, etc. – are applied between two presses of the return key. You can force a line break by pressing **shift+return** (called a ‘soft return’), telling the software to break the line without registering it as a paragraph break.

### Paragraph spaces

Settings for spaces before and after paragraphs

Body text  
space after paragraph = 0p6



Bold subhead  
space before paragraph = 0p9  
space after paragraph = 0p6



Minim amet, commolo rtisit deles te vero eu feuisi tem dolorperat, vent nosto coreet lorero odignia mconum vulput luptat lutatio er init autpat ad minis ent lorpercin ut verciliquis nostrud molor alismolare ming euge minci.

space between paragraphs = 0p6

Ut at nos endre dolorem dionsed dion ulla commolobore tisit nim ipit lorpero od del ut ulpute commod tis nos non hent aliquis dui eugueros at nonse conumsa ndignibh elestrud er sequipit volore et lorting eniatum do eumsan.

space between body text and subhead = 0p9 + 0p6 = 1p3

### Minim amet, commolo rtisit

Minim amet, commolo rtisit deles te vero eu feuisi tem dolorperat, vent nosto coreet lorero odignia mconum vulput luptat lutatio er init autpat ad minis ent lorpercin ut verciliquis nostrud molor alismolare ming euge minci

### Paragraph rules



Paragraph rules are lines that are drawn automatically before and/or after a paragraph when the return key is pressed. The advantage of using paragraph rules over manually inserting lines is precise positioning, and that they move with the text flow.

offset = 1p6



Minim amet, commolo rtisit deles te vero eu feuisi tem dolorperat, vent nosto coreet lorero odignia mconum vulput luptat lutatio er init autpat ad minis ent lorpercin.

offset = 0p10



Settings for paragraph rules